













WSR2Zホース用金具

形状	金具品番	ねじ R(PT)	適用 ホース サイズ	内径 mm	A mm	D mm	(L) mm	X mm	概略 重量 g
1001 管用テーパーパーおねじ 	AHR1001 -04	1/4	-04	4.3	13	34	66	17	105
	AHR1001 -06	3/8	-06	7.0	15	37	75	19	160
	AHR1001 -08	1/2	-08	9.8	18	42	81	22	250
	AHR1001 -12	3/4	-12	15.5	20	50	98	30	430
	AHR1001 -16	1	-16	20.5	22	63	115	36	730
	AHR1001 -20	1 1/4	-20	26.5	25	74	133	46	1250
	AHR1001 -24	1 1/2	-24	32.5	25	74	131	50	1420
1002 管用平行おねじ 	AHR1002 -04	1/4	-04	4.3	13	34	66	17	105
	AHR1002 -06	3/8	-06	7.0	15	37	75	19	160
	AHR1002 -08	1/2	-08	9.8	18	42	81	22	250
	AHR1002 -12	3/4	-12	15.5	20	50	98	30	430
	AHR1002 -16	1	-16	20.5	22	63	115	36	730
	AHR1002 -20	1 1/4	-20	26.5	25	74	133	46	1250
	AHR1002 -24	1 1/2	-24	32.5	25	74	131	50	1420
1004 管用平行めねじユニオン (めすシート) 	AHR1004 -04	1/4	-04	4.3	39	71	19	17	120
	AHR1004 -06	3/8	-06	7.0	42	80	22	19	175
	AHR1004 -08	1/2	-08	9.8	47	85	27	22	270
	AHR1004 -12	3/4	-12	15.5	55	102	36	30	490
	AHR1004 -16	1	-16	20.5	67	119	41	36	780
	AHR1004 -20	1 1/4	-20	26.5	81	140	50	46	1340
	AHR1004 -24	1 1/2	-24	32.5	83	140	60	50	1600
1005 管用平行めねじユニオン (おすシート) 	AHR1005 -04	1/4	-04	4.3	39	71	19	17	120
	AHR1005 -06	3/8	-06	7.0	42	80	22	19	175
	AHR1005 -08	1/2	-08	9.8	47	85	27	22	270
	AHR1005 -12	3/4	-12	15.5	55	102	36	30	490
	AHR1005 -16	1	-16	20.7	67	119	41	36	780
	AHR1005 -20	1 1/4	-20	26.5	81	140	50	46	1340
	AHR1005 -24	1 1/2	-24	32.5	83	140	60	50	1600

WSR2Zホース用金具

形状	金具品番	NPTF	適用 ホース サイズ	内径 mm	A mm	D mm	(L) mm	X mm	概略 重量 g	
6012 NPTF 	AHR6012 -06	$\frac{3}{8}$	-06	7.0	15	37	75	19	160	
	AHR6012 -08	$\frac{1}{2}$	-08	9.8	18	42	81	22	250	
	AHR6012 -12	$\frac{3}{4}$	-12	15.5	20	50	98	30	430	
	AHR6012 -16	1	-16	20.5	22	63	115	36	730	
6013 ユニファイネジ (めすシート) 	金具品番	ユニファイ	適用 ホース サイズ	内径 mm	D mm	(L) mm	Y mm	X mm	概略 重量 g	
	AHR6013 -06	$\frac{9}{16}$ -18	-06	7.0	42	79	22	19	180	
	AHR6013 -08	$\frac{3}{4}$ -14	-08	9.8	46	85	27	22	270	
	AHR6013 -12	$1\frac{1}{16}$ -12	-12	15.5	57	105	36	30	500	
AHR6013 -16	$1\frac{5}{16}$ -12	-16	20.7	69	121	41	36	790		
METST メートルネジ (めすシート) 	金具品番	メートル ネジ	適用 ホース サイズ	内径 mm	D mm	(L) mm	Y mm	X mm	概略 重量 g	
	AHR METST -06	M18X1.5	-06	7.0	42.0	80	24	19	125	
	AHR METST -08	M22X1.5	-08	9.8	48.0	86.5	17	22	180	
	AHR METST-1012	M24X1.5	-12	15.5	57.0	104.5	32	30	500	
	AHR METST -12	M30X1.5	-12	15.5	62.0	109.5	36	30	510	
AHR METST -16	M33X1.5	-16	20.7	76.5	128.5	41	36	790		
ML45 45°エルボフィッティング (おすシート) 	金具品番	G (PF)	適用 ホース サイズ	内径 mm	D mm	H mm	(L) mm	Y mm	X mm	概略 重量 g
	AHR ML45-04	1/4	-04	4.3	56.5	21.5	88	19	17	150
	AHR ML45-06	3/8	-06	7.0	66	26	103	22	19	220
AHR ML45-08	1/2	-08	9.8	74.5	29.5	113	27	22	430	
ML90 90°エルボフィッティング (おすシート) 	金具品番	G (PF)	適用 ホース サイズ	内径 mm	D mm	H mm	(L) mm	Y mm	X mm	概略 重量 g
	AHR ML90-04	1/4	-04	4.3	39.5	35	71	19	17	120
	AHR ML90-06	3/8	-06	7.0	47.5	44	85	22	19	220
AHR ML90-08	1/2	-08	9.8	57	53	96	27	22	450	

WSR2Zホース用金具

形状	金具品番	フランジ ヘッド サイズ	適用 ホース サイズ	内径 mm	B mm	C mm	D mm	H mm	(L) mm	概略 重量 g
SSFST ストレートスプリットフランジ (SAEスタンダード) 	AHR SSFST-08	-08	-08	9.8	30.2	25.5	55	-	93	260
	AHR SSFST-12	-12	-12	15.5	38.1	31.8	64	-	111	510
	AHR SSFST-16	-16	-16	20.5	44.5	39.7	77	-	129	680
SSF45 45°スプリットフランジ (SAEスタンダード) 	AHR SSF45-08	-08	-08	9.8	30.2	25.5	62	21	101	290
	AHR SSF45-12	-12	-12	15.5	38.1	31.8	76	25	123	490
	AHR SSF45-16	-16	-16	20.5	44.5	39.7	93	28	145	755
SSF90 90°スプリットフランジ (SAEスタンダード) 	AHR SSF90-08	-08	-08	9.8	30.2	25.5	52	41	91	290
	AHR SSF90-12	-12	-12	15.5	38.1	31.8	70	54	117	540
	AHR SSF90-16	-16	-16	20.5	44.5	39.7	87	61	139	810